

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office MAY 28 1981  
 Returned to applicant for correction AUG 6 1981  
 Corrected application filed AUG 13 1981  
 Map filed AUG 13 1981

The applicant Howard S. Vowell & Carrie E. Vowell  
2919 Hardin, of Henderson,  
Street and No. or P.O. Box No. City or Town  
Nevada 89015-1450, hereby make S application for permission to appropriate the public  
State and Zip Code No.  
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground  
Name of stream, lake or other source.
2. The amount of water applied for is 0.0066 second-feet  
One second-foot equals 448.83 gals. per min.  
 (a) If stored in reservoir give number of acre-feet                      acre-feet
3. The water to be used for Quasi-Municipal-Domestic  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
  - (a) Irrigation (state number of acres to be irrigated)
  - (b) Stockwater (state number and kinds of animals to be watered)
  - (c) Other use (describe fully under "No. 12. Remarks")
  - (d) Power:
    - (1) Horsepower developed
    - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point: SE1/4 SW1/4 Section 24,  
Township 22 S., Range 61 E., M.D.M., from which point the South 1/4  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
corner of said Section 24, bears S45°01'11"E a distance of 650.59 feet.  
it should be stated.
6. Place of use SE1/4 SW1/4 Section 24, Township 22 S., Range 61 E., M.D.M.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about January 1st and end about December 31st, of each year.  
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8 5/8" cased well, 250 ft. T.D.;  
Two 55 gallon pressure tanks; 1 1/2 h.p. submersible pump.  
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$9,000.00
10. Estimated time required to construct works One year.  
If well completed, describe works.
11. Estimated time required to complete the application to beneficial use One year.
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Three single family residences.

By s/Ben G. Sweet  
Ben G. Sweet Signature, applicant or agent  
P.O. Box 2250  
Henderson, Nv. 89015-1450

Compared bl/sg bt/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0066 cubic feet per second, but not to exceed 1.095 million gallons annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before January 21, 1983

Proof of completion of work shall be filed before February 21, 1983

Application of water to beneficial use shall be made on or before January 21, 1985

Proof of the application of water to beneficial use shall be filed on or before February 21, 1985

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed IN TESTIMONY WHEREOF, I, PETER G. MORROS  
Completion of work filed State Engineer of Nevada, have hereunto set my hand and the seal of  
Proof of beneficial use filed my office, this 21st day of JANUARY

Cultural map filed MAR 26 1984  
Certificate No. Issued BECAUSE OF RAILROAD A.D. 19 82.  
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

218 (Rev. 1980)

STATE ENGINEER

State Engineer